Supplemental Notice of Allowability

Application No.	Applicant(s)	
10/541,540	SOH ET AL.	
Examiner	Art Unit	
Tung Vo	2621	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included
herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS
NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative
of the Office or upon patition by the applicant See 37 CEP1 4/33 and MEPE 1/308

- of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

 1.

 This communication is responsive to the interview on 07/08/2010.
- 2. The allowed claim(s) is/are 22 and 24.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 -) ⊠ All b) □ Some* c) □ None of the:
 - 1. A Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. _____
 - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - The reto or 2) to Paper No./Mail Date _____.

 (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 - Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. | Notice of References Cited (PTO-892)
- 2.
 Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO/SB/08),
- Examiner's Comment Regarding Requirement for Deposition of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413), Paper No./Mail Date 07/08/10.
- 7. X Examiner's Amendment/Comment
- 8. X Examiner's Statement of Reasons for Allowance

/Tung Vo/

Primary Examiner, Art Unit 2621

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or
additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the
payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jared B. Scholz on 07/08/10.

The application has been amended as follows:

IN CLAIM

Claim 22, line 3, after "by a" insert --moving picture--; line 5, after "by the" insert --moving picture--.

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: the cited prior art does not disclose a method of determining a reference field picture for decoding a current field macroblock in a bi-predictive frame, comprising: determining, by a moving picture decoder, a reference frame picture index in a reference picture list for the bi-predictive frame based on a display order; determining, by the moving picture decoder, a reference field picture for the current field macroblock from the reference picture list, the determined reference field picture being one of a top field and a bottom field of a reference frame; wherein the determining step determines a field having a same parity as the current field macroblock or a different parity from

Application/Control Number: 10/541,540

Art Unit: 2621

the current field macroblock as a the reference field picture based upon reference picture index information, the reference frame picture index, and field parity of the current field macroblock, wherein if the reference picture index information is an odd index number, then the determined field has a field parity different from the current field macroblock; decoding the current field macroblock using the determined reference field picture.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to Tung Vo whose telephone number is 571-272-7340. The
examiner can normally be reached on Monday-Wednesday, Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on 571-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/541,540 Page 4

Art Unit: 2621

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Tung Vo/ Primary Examiner, Art Unit 2621